

ZIKA PACKAGES PRICING INFORMATION

PRODUCT	VENDOR	VENDOR ITEM #	COST	QUANTITY	CONTACT	CONTACT PHONE	CONTACT EMAIL
Deet Wipes	PK Safety	COR01-12643	\$ 154.42	300/BX	Jenny Martens	800-829-9580	Jenny@pksafety.com
Trojan Condoms	McKesson	1019779	\$ 451.54	1000/CS	Kristen Musil	404-825-3551	Kristen.Musil@McKesson.com
Life Style Condoms	McKesson	781390	\$ 421.61	1000/CS	Kristen Musil	404-825-3551	Kristen.Musil@McKesson.com
Oasis Lubricant round	McKesson	1019780	\$ 64.65	500/CS	Kristen Musil	404-825-3551	Kristen.Musil@McKesson.com
Lub (Small tube)	McKesson	918342	\$ 189.00	1000/CS	Kristen Musil	404-825-3551	Kristen.Musil@McKesson.com
Bags	Bagmart	2Z0305	\$ 24.70	1000/BX	Paul Butler	770-977-0340	Info@bagmart.com
Inserts	RR Donnelly	ZIKA	\$ 720.00	5,000	Tom Vickroy	770-714-5795	Tom.vickroy@rrd.com



Deet wipe



Trojan condom



Lifestyle non-latex condom



Oasis small lube



SMALL TUBE LUBE



Bags size 3x5 zip2MIL

**WHAT ARE THE FACTS?
ZIKA VIRUS INFECTION**

HOW IS ZIKA TRANSMITTED? Zika is transmitted primarily by the bite of an infected mosquito. Zika is also spread through sexual transmission.

HOW CAN THE SPREAD OF ZIKA BE PREVENTED? Sex partners who may have been exposed to Zika should use condoms or barrier methods for all sex, or abstain from sex. Everyone should protect against mosquito bites by using an EPA-Registered insect repellent for all outdoor activities.

WHAT ARE THE SYMPTOMS OF ZIKA? Fever, headache, red eyes, rash, joint and muscle pain. You may not know you have Zika but you can still spread it to others during sex. Zika can cause serious birth defects.

*Find out what it takes to stop Zika
Please visit dph.georgia.gov/zika*

Front of Zika insert

**PREVENT AND PROTECT
USING CONDOMS CORRECTLY**

1. Carefully check the expiration date.
2. Use condom-friendly lube – water-based or silicon.
3. Open the package by tearing gently along the side.
4. Place the condom over the head of the penis when it is hard.
5. Hold the tip and unroll the condom to the base of penis.
6. If you start to put on a condom inside-out, discard it and use a new one.
7. If the condom breaks at any time, stop immediately, discard it and use a new one.
8. Immediately after ejaculation, pull out and carefully remove condom.
9. Always use a new condom with your partner.

*Find out what it takes to stop Zika
Please visit dph.georgia.gov/zika*

Back of Zika Insert