

References

General Infant Mortality, Maternal and Infant Health

Amy B, Diane M, Linda B. Health, United States, 2006. Office of Analysis and Epidemiology, National Center for Health Statistics (NCHS). <http://www.cdc.gov/nchs/data/hus/06.pdf>

Bhutta ZA, Lassi ZS, Blanc A, Donnay F. Linkages among reproductive health, maternal health, and perinatal outcomes. *Semin Perinatol*. 2010;34:434-445.

Campbell MJ, Rodrigues L, Macfarlane AJ, Murphy MFG. Sudden infant deaths and cold weather: was the rise in infant mortality in 1986 in England and Wales due to the weather? *Paediatr Perinat Epidemiol*. 1991;5:93-100.

Centers for Disease Control and Prevention. Entry into prenatal care - United States, 1989-1997. *MMWR*. 2000;48:393-398. <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm4918a1.htm>

Centers for Disease Control and Prevention. Healthy People 2020. <http://healthypeople.gov/hp2020>

D'Angelo D, Williams L, Morrow B, Cox S, Harris N, Harrison L, Posner SF, Hood JR, Zapata L. Preconception and interconception health status of women who recently gave birth to a live-born infant--Pregnancy Risk Assessment Monitoring System (PRAMS), United States, 26 reporting areas, 2004. *MMWR Surveill Summ*. 2007;56:1-35. <http://www.cdc.gov/mmwr/preview/mmwrhtml/ss5610a1.htm>

DeClerque JL, Freedman JA, Verbiest S, Bondurant S. North Carolina's infant mortality problems persist: Time for a paradigm shift. *N C Med J*. 2004;65:138-142.

Delaware Health Statistics Center. Vital Statistics Reports. <http://dhss.delaware.gov/dph/hp/annrepvs.html>. Accessed February 23, 2011.

Edmonds LD, James LM. Temporal trends in the prevalence of congenital malformations at birth based on the birth defects monitoring program, USA 1979-1987. *MMWR*. 1990;39:19-23. <http://www.cdc.gov/mmwr/preview/mmwrhtml/00001892.htm>

Frieden TR. A framework for Public Health action: The Health Impact Pyramid. *Am J Public Health*. 2010;100:590-595. <http://ajph.aphapublications.org/doi/pdf/10.2105/AJPH.2009.185652>

Healthy People 2000: National Health Promotion and Disease Prevention Objectives. Healthy People 2000 Final Review. U.S. Department of Health and Human Services, CDC, NCHS. DHHS Pub. No. (PHS) 01-0256. Hyattsville, Maryland, 2001. <http://www.cdc.gov/nchs/data/hp2000/hp2k01.pdf>

Kenneth D. Kochanek, M.A.; Jiaquan Xu, M.D.; Sherry L. Murphy, B.S.; Arialdi M. Miniño, MPH, and Hsiang-Ching Kung, Ph.D; Division of Vital Statistics. Deaths: Final Data for 2009. *Natl Vital Stat Rep*. 2011;60(3). http://www.cdc.gov/nchs/data/nvsr/nvsr60/nvsr60_03.pdf

Kleinman JC, Kovar MG, Feldman JJ, Young CA. A comparison of 1960 and 1973-4 early neonatal mortality in selected states. *Am J Epidemiol*. 1978;108:454-469.

Kleinman, JC. Infant mortality. Healthy People 2000, Statistical Notes. National Center for Health Statistics. 1991;1:1-8. http://wonder.cdc.gov/wonder/sci_data/misc/type_txt/hp2000.asp

Kochanek KD, Martin JA. Supplemental analyses of recent trends in infant mortality. *Int J Health Serv*. 2005;35:101-115.

Kogan MD, Alexander GR, Kotelchuck M, Nagey D, Jack BW. Comparing mothers' reports on the content of prenatal care received with recommended national guidelines for care. *Public Health Rep*. 1994;109:637-646.

Koshel J. Promising Practices to Improve Birth Outcomes: What Can We Learn from New York? MCHB Technical Assistance Report; 2009. <http://mchb.hrsa.gov/grants/nyrpt10262009.pdf>

Kotch JB. (Ed) *Maternal and Child Health: Programs, Problems, and Policy in Public Health*. Aspen Publication 1997.

Kotelchuck M. Safe Mothers, Healthy Babies: Reproductive Health in the 20th Century. In Ward JW and Warren C (eds). *Silent Victories: The History and Practice of Public Health in Twentieth-Century America*. Oxford University Press, 2007.

Kroelinger CD, Gladders B. Using scientific evidence to shape research, intervention programs, and policy in a statewide effort to reduce infant mortality, 2004-2009. *Del Med J*. 2010;82:273-284.

Lee KS, Paneth N, Gartner LM, Pearlman MA, Gruss L. Neonatal mortality: An analysis of the recent improvement in the United States. *Am J Public Health*. 1980;70:15-21.

Lussky RC, Cifuentes RF, Siddappa AM. The History of Neonatal Medicine - Past Accomplishments, Lessons Learned, and Future Challenges. Part 1 - The First Century. *J Pediatr Pharmacol Ther*. 2005;10:76-89.

MacDorman MF, Hoyert DL, Martin JA, Munson ML, Hamilton BE. Fetal and Perinatal Mortality, United States, 2003. *Natl Vital Stat Rep*. 2007;55:1-17. http://www.cdc.gov/nchs/data/nvsr/nvsr55/nvsr55_06.pdf

MacDorman MF, Kirmeyer SE, Wilson EC. Fetal and perinatal mortality, United States, 2006. *Natl Vital Stat Rep*. 2012;60(8). http://www.cdc.gov/nchs/data/nvsr/nvsr60/nvsr60_08.pdf

MacDorman MF, Martin JA, Mathews TJ, Hoyert DL, Ventura SJ. Explaining the 2001-2002 infant mortality increase in the United States: Data from the linked birth/infant death data set. *Int J Health Serv*. 2005;35:415-442.

MacDorman MF, Mathews TJ. The challenge of infant mortality: have we reached a plateau? *Public Health Rep*. 2009;124:670-681.

MacDorman MF, Mathews TJ. Behind international rankings of infant mortality: how the United States compares with Europe. *Int J Health Serv*. 2010;40:577-588.

MacDorman MF, Mathews TJ. Infant deaths - United States, 2000-2007. *MMWR Surveill Summ*. 2011;60 Suppl:49-51. <http://www.cdc.gov/mmwr/preview/mmwrhtml/su6001a9.htm>

Macfarlane AJ. The downs and ups of infant mortality. *Br Med J (Clin Res Ed)*. 1988;296:230-231.

Martin JA, Hamilton BE, Ventura SJ, Osterman MJ, Kirmeyer S, Mathews TJ, Wilson EC. Births: Final data for 2009. *Natl Vital Stat Rep*. 2011; 60:1-70. http://www.cdc.gov/nchs/data/nvsr/nvsr60/nvsr60_01.pdf

Martin JA, Park MM. Trends in twin and triplet births: 1980-97. *Natl Vital Stat Rep*. 1999;47:1-16. http://www.cdc.gov/nchs/data/nvsr/nvsr47/nvs47_24.pdf

Mathews TJ, MacDorman MF. Infant mortality statistics from the 2007 period linked birth/infant death data set. *Natl Vital Stat Rep*. 2011;59:1-30. http://www.cdc.gov/nchs/data/nvsr/nvsr59/nvsr59_06.pdf

Mathews TJ, MacDorman MF. Infant mortality statistics from the 2008 period linked birth/infant death data set. *Natl Vital Stat Rep*. 2012;60:1-28. http://www.cdc.gov/nchs/data/nvsr/nvsr60/nvsr60_05.pdf

Mathews TJ, Menacker F and MacDorman MF. Infant mortality statistics from the 2002 period linked birth/infant death data set. *Natl Vital Stat Rep*. 2004;53:1-32. http://www.cdc.gov/nchs/data/nvsr/nvsr53/nvsr53_10.pdf

Mathews TJ, Minino AM, Osterman MJ, Strobino DM, Guyer B. Annual summary of vital statistics: 2008. *Pediatrics*. 2011;127:146-157.

MCH Navigator. A Learning Portal for MCH Professionals. 2010. <http://navigator.mchtraining.net/>

Meyer RE, Sappenfield WM, Colley-Niemeyer B, Peoples-Sheps M, Rowley DL. Recent trends in neonatal mortality in South Carolina. *J SC Med Assoc*. 1990;86:485-490.

Pritchard JA, Macdonald PC. *Williams Obstetrics*, 16th ed. Appleton-Century-Crofts: New York, 1980.

Rasmussen KM. *Causes of intrauterine growth restriction*. Prenatal Care. 1999, Cambridge University Press.

Rosano A, Botto LD, Botting B, Mastroiacovo P. Infant mortality and congenital anomalies from 1950-1994: An international perspective. *J Epidemiol Comm Health*. 2000;54:660-666.

Rosenberg D, Herman-Roloff A, Kennelly J, Handler A. Factors Associated with Improved MCH Epidemiology Functioning in State Health Agencies. *Matern Child Health J*. 2011;15:1143-1152.

Singh GK, Yu SM. Infant Mortality in the US: Trends, Differentials and Projections, 1950 through 2010. *Am J Public Health*. 1995;85:957-964.

Strobino D, O'Campo P, Schoendorf KC. A strategic framework for infant mortality reduction: Implications for "Healthy Start." *Milbank Quarterly*. 1995;73:507-533.

Thomson AM, Barron SL. *Perinatal Mortality*. Obstetrical Epidemiology. Academic: London, 1983.

Ventura SJ, Martin JA, Curtin SC, Mathews TJ. Births: Final Data for 1997. *Natl Vital Stat Rep*. 1999;47:1-96. http://www.cdc.gov/nchs/data/nvsr/nvsr47/nvs47_18.pdf

Ventura SJ, Martin JA, Curtin SC, Matthew TJ. Births: Final data for 1998. *Natl Vital Stat Rep*. 2000;48:1-100. http://www.cdc.gov/nchs/data/nvsr/nvsr48/nvs48_03.pdf

Ventura SJ, Martin JA, Curtin SC, Menacker F, Hamilton BE. Births: Final data for 1999. *Natl Vital Stat Rep*. 2001;49:1-100. http://www.cdc.gov/nchs/data/nvsr/nvsr49/nvsr49_01.pdf

Verbiest S, Cox E. *Looking Back, Moving Forward: North Carolina's Path to Healthier Women and Babies*. Chapel Hill, NC: University of North Carolina, Chapel Hill. 2007.

Verbiest S, Holliday J. Issue brief: preconception care: building the foundation for healthy women, babies, and communities. *N C Med J*. 2009;70:417-426. http://www.ncmedicaljournal.com/wp-content/uploads/NCMJ/Sept-Oct-09/IssueBrief_Verbiest.pdf

Wise PH. Special Article: Neonatal health-care policy: Promise and perils of reform. *NeoReviews*. 2010;11:e12-e17.

Data

Alberman E, Bergsjø P, Cole S, Evans S, Hartford R, Hoffman H, McCarthy B, Pashley J, Hampton B. International Collaborative Effort (ICE) on birthweight; plurality; and perinatal and infant mortality. I: Methods of data collection and analysis. *Acta Obstet Gynecol Scand*. 1989;68:5-10.

Alexander GR. The accurate measurement of gestational age--a critical step toward improving fetal death reporting and perinatal health. *Am J Public Health*. 1997;87:1278-1279.

Alexander GR, Allen MC. Conceptualization, measurement, and use of gestational age. I. Clinical and public health practice. *J Perinatol*. 1996;16:53-59.

Alexander GR, Cornely DA. Prenatal care utilization: Its measurement and relationship to pregnancy outcome. *Am J Prevent Med*. 1987;3:243-253.

Alexander GR, Himes JH, Kaufman RB, Mor J, Kogan M. A United States national reference for fetal growth. *Obstet Gynecol*. 1996;87:163-168.

Alexander GR, Kogan MD, Himes JH. 1994-1996 U.S. singleton birth weight percentiles for gestational age by race, Hispanic origin, and gender. *Matern Child Health J*. 1999;3:225-231.

References *continued*

Data *continued*

- Alexander GR, Kotelchuck M. Quantifying the adequacy of prenatal care: a comparison of indices. *Public Health Rep.* 1996;111:408-418.
- Alexander GR, Tompkins ME, Cornely DA. Gestational age reporting and preterm delivery. *Public Health Rep.* 1990;105:267-275.
- Alexander GR, Tompkins ME, Petersen DJ, Weiss J. Sources of bias in prenatal care utilization indices: Implications for evaluating the Medicaid expansion. *Am J Publ Health.* 1991;81:1013-1016.
- AMCHP. Investigating troubling trends: A report of the AMCHP/ CDC State Infant Mortality Collaborative 2007. http://www.amchp.org/programsandtopics/data-assessment/projects/Documents/AMCHP_SIMC_Report.pdf
- Anthony S, van der Pal-de Bruin KM, Graafmans WC, Dorrepaal CA, Borkent-Polet M, van Hemel OJ, Jansen FH, den Ouden AL. The reliability of perinatal and neonatal mortality rates: differential under-reporting in linked professional registers vs. Dutch civil registers. *Paediatr Perinat Epidemiol.* 2001;15:306-314.
- Barfield WD. Committee on Fetus and Newborn. Standard terminology for fetal, infant, and perinatal deaths. *Pediatrics.* 2011;128:177-181.
- Barfield WD, Clements KM, Lee KG, Kotelchuck M, Wilber N, Wise PH. Using linked data to assess patterns of early intervention (EI) referral among very low birth weight infants. *Matern Child Health J.* 2008;12:24-33.
- Berkowitz GS, Lapinski RH. Relevant and attributable risk estimates for preterm birth. *Prenat Neonat Med.* 1998;3:53-55.
- Broussard DL, Sappenfield WB, Fussman C, Kroelinger CD, Grigorescu V. Core state preconception health indicators: a voluntary, multi-state selection process. *Matern Child Health J.* 2011;15:159-168.
- Bruzzi P, Green SB, Byar DP, Brinton LA, Schairer C. Estimating the population attributable risk for multiple risk factors using case control data. *Am J Epidemiol.* 1985;122:904-914.
- Buescher PA, Taylor KP, Davis MH, Bowling JM. The quality of the new birth certificate data: a validation study in North Carolina. *Am J Public Health.* 1993;83:1163-1165.
- Cole SK. Accuracy of death certificates in neonatal deaths. *Community Med.* 1989;11:1-8.
- Cole S, Hartford RB, Bergsjø P, McCarthy B. International collaborative effort (ICE) on birth weight, plurality, perinatal, and infant mortality. III: A method of grouping underlying causes of infant death to aid international comparisons. *Acta Obstet Gynecol Scand.* 1989;68:113-117.
- Cole SK, Hey EN, Thomson AM. Classifying perinatal death: an obstetric approach. *Br J Obstet Gynaecol.* 1986;93:1204-1212.
- DiGiuseppe DL, Aron DC, Ranbom L, Harper DL, Rosenthal GE. Reliability of birth certificate data: a multi-hospital comparison to medical records information. *Matern Child Health J.* 2002;6:169-179.
- Division of Vital Statistics NCHS. Report of the Panel to Evaluate the U.S. Standard Certificates 2000. http://www.cdc.gov/nchs/data/dvs/panelreport_acc.pdf
- Dollfus C, Patetta M, Siegel E, Cross AW. Infant mortality: a practical approach to the analysis of the leading causes of death and risk factors. *Pediatrics.* 1990;86:176-183.
- Ehrenthal DB, Wingate MS, Kirby RS. Variation by state in outcomes classification for deliveries less than 500 g in the United States. *Matern Child Health J.* 2011;15:42-48.
- Frøen JF, Pinar H, Flenady V, Bahrin S, Charles A, Chauke L, Day K, Duke CW, Facchinetti F, Fretts RC, Gardener G, Gilshenan K, Gordijn SJ, Gordon A, Guyon G, Harrison C, Koshy R, Pattinson RC, Petersson K, Russell L, Saastad E, Smith GC, Torabi R. Causes of death and associated conditions (Codac): a utilitarian approach to the classification of perinatal deaths. *BMC Pregnancy Childbirth.* 2009;9:22.
- Frost F, Starzyk P, George S, McLaughlin JF. Birth complication reporting: the effect of birth certificate design. *Am J Public Health.* 1984;74:505-506.
- Gable CB. A compendium of public health data sources. *Am J Epidemiol.* 1990;131:381-394.
- Gilbert NL, Fell DB, Joseph KS, Liu S, León JA, Sauve R; Fetal and Infant Health Study Group of the Canadian Perinatal Surveillance System. Temporal trends in sudden infant death syndrome in Canada from 1991 to 2005: contribution of changes in cause of death assignment practices and in maternal and infant characteristics. *Paediatr Perinat Epidemiol.* 2012;26:124-130.
- Gordijn SJ, Korteweg FJ, Erwich JJ, Holm JP, van Diem MT, Bergman KA, Timmer A. A multilayered approach for the analysis of perinatal mortality using different classification systems. *Eur J Obstet Gynecol Reprod Biol.* 2009;144:99-104.
- Grady SC, Enander H. Geographic analysis of low birthweight and infant mortality in Michigan using automated zoning methodology. *Int J Health Geogr.* 2009;8:10. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2657901/>
- Greb AE, Pauli RM, Kirby RS. Accuracy of Fetal Death Reports - Comparison with Data from an Independent Stillbirth Assessment Program. *Am J Public Health.* 1987;77:1202-1206.
- Guyer B, Freedman MA, Strobino DM, Sondik EJ. Annual Summary of Vital Statistics 1998. *J Pediatr.* 1999;104:1229-1246.
- Health Canada, Perinatal Health Indicators for Canada: A Resource Manual. Ottawa: Minister of Public Works and Government Services Canada, 2000 <http://publications.gc.ca/collections/Collection/H49-135-2000E.pdf>

- Hey EN, Lloyd DJ, Wigglesworth JS. Classifying perinatal death: fetal and neonatal factors. *Br J Obstet Gynaecol*. 1986;93:1213-1223.
- Howell EM, Blondel B. International infant mortality rates: bias from reporting differences. *Am J Public Health*. 1994;84:850-852.
- Keeling JW, MacGillivray I, Golding J, Wigglesworth J, Berry J, Dunn PM. Classification of perinatal death. *Arch Dis Child*. 1989;64(10 Spec No):1345-1351.
- Kirby RS. Neonatal and postneonatal mortality: Useful constructs or outdated concepts? *J Perinatol*. 1993;13:433-441.
- Kirby RS. The quality of vital perinatal statistics data, with special reference to prenatal care. *Paediatr Perinat Epidemiol*. 1997;11:122-128.
- Kitagawa EM. Components of a difference between two rates. *J Am Stat Assoc*. 1955;50:1168-1194.
- Kitagawa EM. Theoretical considerations in the selection of a mortality index, and some empirical comparisons. *Hum Biol*. 1966;38:293-308.
- Kleinman JC. Underreporting of infant deaths: then and now. *Am J Public Health*. 1986;76:365-366.
- Kogan MD, Martin J, Alexander GR, Kotelchuck M, Ventura S, Frigoletto F. The changing pattern of prenatal care utilization in the U.S., 1981-1995: Using different prenatal care indices. *JAMA*. 1998;279:1623-1628.
- Kotelchuck M. An evaluation of Kessner Adequacy of Prenatal Care Index and a proposed Adequacy of Prenatal Utilization Index. *Am J Public Health*. 1994;84:1314-1420.
- Kowaleski J. State definitions and reporting requirements for live births, fetal deaths, and induced terminations of pregnancy (1997 revision). Hyattsville, Maryland: National Center for Health Statistics. 1997. <http://www.cdc.gov/nchs/data/misc/itop97.pdf>
- Kroelinger C, Ehrental D. Translating policy to practice and back again: implementing a preconception program in Delaware. *Womens Health Issues*. 2008;18(6 Suppl):S74-S80.
- Lee KS, Khoshnood B, Hsieh H, Kim BI, Schreiber MD, Mittendorf R. Which birthweight groups contributed most to the overall reduction in the neonatal mortality rate in the United States from 1960 to 1986? *Paediatr Perinat Epidemiol*. 1995;9:420-430.
- Lee KS, Paneth N, Gartner LM, Pearlman M. The very low-birth-weight rate: Principal predictor of neonatal mortality in industrialized populations. *J Pediatr*. 1980;97:759-764.
- Lobdell DT, Jagai JS, Rappazzo K, Messer LC. Data Sources for an Environmental Quality Index: Availability, Quality, and Utility. *Am J Public Health*. 2011;101:S277-S285.
- Lubchenco LO, Hansman C, Dressler M, Boyd E. Intrauterine growth as estimated from liveborn birth-weight data at 24 to 42 weeks of gestation. *Pediatrics*. 1963;32:793-800.
- MacDorman MF, Kirmeyer S. The challenge of fetal mortality. *NCHS Data Brief*. 2009;16:1-8. <http://www.cdc.gov/nchs/data/databriefs/db16.pdf>
- Malloy MH, MacDorman MF. Changes in the classification of sudden unexpected infant deaths: United States, 1992-2001. *Pediatrics*. 2005;115:1247-1253.
- Martin JA, Hoyert DL. The national fetal death file. *Semin Perinatol*. 2002;26:3-11.
- Martin JA, Menacker F. Expanded health data from the new birth certificate, 2004. *Natl Vital Stat Rep*. 2007; 55:1-22. http://www.cdc.gov/nchs/data/nvsr/nvsr55/nvsr55_12.pdf
- Maternal and Child Health Bureau HRSA, U.S. Department of Health and Human Services. Title V Information System. 2011; <https://perfdta.hrsa.gov/mchb/tvisreports/MeasurementData/MeasurementDataMenu.aspx>. Accessed February 25, 2011.
- McDermott J, Drews C, Green D, Berg C. Evaluation of prenatal care information on birth certificates. *Paediatr Perinat Epidemiol*. 1997;11:105-121.
- Menacker F, Martin JA. Expanded health data from the new birth certificate, 2005. *Natl Vital Stat Rep*. 2008;56:1-24. http://www.cdc.gov/nchs/data/nvsr/nvsr56/nvsr56_13.pdf
- National Center for Health Statistics. Comparability of cause-of-death between ICD revisions. 2008. Available from: http://www.cdc.gov/nchs/nvss/mortality/comparability_icd.htm.
- National Center for Health Statistics. ICD-10 cause-of-death lists for tabulating mortality statistics. NCHS instruction manual; part 9. Hyattsville, MD. 1999. http://www.cdc.gov/nchs/data/dvs/im9_2002.pdf.pdf
- Oken E, Kleinman KP, Rich-Edwards J, Gillman MW. A nearly continuous measure of birth weight for gestational age using a United States national reference. *BMC.Pediatr*. 2003;3:6. <http://www.biomedcentral.com/1471-2431/3/6>
- Osterman MJK, Martin JA, Mathews TJ, Hamilton BE. Expanded data from the new birth certificate, 2008. *Natl Vital Stat Rep*. 2011;59:1-28. http://www.cdc.gov/nchs/data/nvsr/nvsr59/nvsr59_07.pdf
- Osterman MJ, Martin JA, Menacker F. Expanded health data from the new birth certificate, 2006. *Natl Vital Stat Rep*. 2009;58:1-24. http://www.cdc.gov/nchs/data/nvsr/nvsr58/nvsr58_05.pdf
- Overpeck MD, Brenner RA, Cosgrove C, Trumble AC, Kochanek K, MacDorman M. National underascertainment of sudden unexpected infant deaths associated with deaths of unknown cause. *Pediatrics*. 2002;109:274-283.
- Paneth N, Lee KS, Gartner LM, Pearlman M, Hein H, Anderson J. Analysis of neonatal mortality. *J Pediatr*. 1981;99:503-04.
- Parker JD, Schoendorf KC. Implications of cleaning gestational age data. *Paediatr Perinat Epidemiol*. 2002;16:181-187.

References *continued*

Data *continued*

Phealan ST, Goldenberg R, Alexander G, Cliver SP. Perinatal mortality and its relationship to the reporting of low birth weight infants. *Am J Public Health*. 1998;88:1236-1239.

Raju TNK, Hager S. The Dilemma of Less Than 500 Grams Birth - Epidemiologic Considerations. *Am J Perinat*. 1986;3:327-331.

Reichman NE, Schwartz-Soicher O. Accuracy of birth certificate data by risk factors and outcomes: analysis of data from New Jersey. *Am J Obstet Gynecol*. 2007; 197:32.e31-e38.

Region IV Network for Data Management and Utilization. Consensus in region IV: Perinatal indicators for planning & assessment. Technical report from region IV network for data management and utilization (RNRMU). August 1989. <http://www.shepscenter.unc.edu/data/RNDMU/index.html>

Smith L, Draper ES, Manktelow BN, Pritchard C, Field DJ. Comparing regional infant death rates: the influence of preterm births <24 weeks of gestation. *Arch Dis Child Fetal Neonatal Ed*. 2012; doi: 10.1136/fetalneonatal-2011-301359. <http://fn.bmj.com/content/early/2012/06/08/fetalneonatal-2011-301359.long>

Snell LM, Little BB, Knoll KA, Johnston WL, Jr., Rosenfeld CR, Gant NF. Reliability of birth certificate reporting of congenital anomalies. *Am J Perinatol*. 1992;9:219-222.

Sowards KA. What is the leading cause of infant mortality? A note on the interpretation of official statistics. *Am J Public Health*. 1999;89:1752-1754.

Ventura SJ, Curtin SC, Abma JC, Henshaw SK. Estimated pregnancy rates and rates of pregnancy outcomes for the United States, 1990-2008. *Natl Vital Stat Rep*. 2012;60:1-21. http://www.cdc.gov/nchs/data/nvsr/nvsr60/nvsr60_07.pdf

Wen SW, Chen LM, Li CY, Kramer MS, Allen AC. The impact of missing birth weight in deceased versus surviving fetuses and infants in the comparison of birth weight-specific feto-infant mortality. *Chronic Dis Can*. 2002;23:146-151.

Wigglesworth JS. Monitoring perinatal mortality. A pathophysiological approach. *Lancet*. 1980;2:684-686.

Wigglesworth JS. Classification of perinatal deaths. *Soz Praventivmed*. 1994;39:11-14.

Wilcox LS, Marks JS, (Eds.) *From Data to Action*. Atlanta: Centers for Disease Control, 1994. Pg. 185-187. <http://www.cdc.gov/reproductivehealth/ProductsPubs/DatatoAction/pdf/birout3.pdf>

Wilson AL, Fenton LJ, Munson DP. State reporting of live births of newborns weighing less than 500 grams - impact on neonatal-mortality rates. *Pediatrics*. 1986;78:850-854.

Winbo IGB, Serenius FH, Dahlquist GG, Kallen BAJ. NICE, a new cause of death classification for stillbirths and neonatal deaths. *Int J Epidemiol*. 1998;27:499-504.

Winbo IGB, Serenius FH, Kallen BAJ. Lack of precision in neonatal death classifications based on the underlying causes of death stated on death certificates. *Acta Paediatr*. 1998;87:1167-1172.

Wingate MS, Alexander GR, Buekens P, Vahratian A. Comparison of gestational age classifications: date of last menstrual period vs. clinical estimate. *Ann Epidemiol*. 2007;17:425-430.

Gestational Age and Birth Weight

Adams MM, Barfield WD. The future of very preterm infants: learning from the past. *JAMA*. 2008;299:1477-1478.

Alexander GR, Howell E. Preventing preterm birth and increasing access to prenatal care: Two important but distinct national goals. *Am J Prevent Med*. 1997;13:290-291.

Alexander GR, Kogan M, Bader D, Carlo W, Allen M, Mor J. US birth weight/gestational age-specific neonatal mortality: 1995-1997 rates for whites, hispanics, and blacks. *Pediatrics*. 2003;111:e61-e66.

Alexander GR, Kogan MD, Himes JH, Mor JM, Goldenberg R. Racial differences in birthweight for gestational age and infant mortality in extremely-low-risk US populations. *Paediatr Perinat Epidemiol*. 1999;13:205-217.

Alexander GR, Korenbrot CC. The role of prenatal care in preventing low birth weight. *Future Child*. 1995;5:103-120.

Alexander GR, Slay M. Prematurity at birth: trends, racial disparities, and epidemiology. *Ment Retard Dev Disabil Res Rev*. 2002;8:215-220.

Allen MC, Cristofalo EA, Kim C. Outcomes of preterm infants: morbidity replaces mortality. *Clin Perinatol*. 2011;38:441-454.

Altman M, Edstedt Bonamy AK, Wikström AK, Cnattingius S. Cause-specific infant mortality in a population-based Swedish study of term and post-term births: the contribution of gestational age and birth weight. *BMJ Open*. 2012;2. <http://bmjopen.bmj.com/content/2/4/e001152.long>

Ananth CV, Vintzileos AM. Epidemiology of preterm birth and its clinical subtypes. *J Matern Fetal Neonatal Med*. 2006;19:773-782.

Blondel B, Kogan, MD, Alexander GR, Dattani N, Kramer MS, MacFarlane A, Wen SW. The impact of the increasing number of multiple births on the rates of preterm birth and low birth weight: An international study. *Am J Public Health*. 2002;92:1323-1330.

Centers for Disease Control and Prevention. Preterm Singleton Births, United States, 1989-1996. *MMWR*. 1999;48:185-189. <http://www.cdc.gov/mmwr/preview/mmwrhtml/00056645.htm>

Centers for Disease Control and Prevention (CDC). Impact of multiple births on low birthweight: Massachusetts, 1989-1996. *MMWR*. 1999;48:289-292. <http://www.cdc.gov/mmwr/preview/mmwrhtml/00056908.htm>

Centers for Disease Control and Prevention. Increasing infant mortality among very low birthweight infants--Delaware, 1994-2000. *MMWR*. 2003;52:862-866. <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5236a3.htm>

Cheng YW, Kaimal AJ, Bruckner TA, Halloran DR, Caughey AB. Perinatal morbidity associated with late preterm deliveries compared with deliveries between 37 and 40 weeks of gestation. *BJOG*. 2011;188:1446-1454.

Chomitz, VR, Cheung, LWY, Lieberman, E. The role of lifestyle in preventing low birth weight. *Future Child*. 1995;5:121-138.

Copper RL, Goldenberg RL, Creasy RK, DuBard MB, Davis RO, Entman SS, Iams JD, Cliver SP. A multicenter study of preterm birth weight and gestational age-specific neonatal mortality. *Am J Obstet Gynecol*. 1993;168:78-84.

Dunham EC. *Premature Infants*. Hoeber-Harper: New York, 1957.

Goldenberg RL, Culhane JF, Iams JD, Romero R. Epidemiology and causes of preterm birth. *Lancet*. 2008;371:75-84.

Goldenberg RL, Cutter GR, Nelson KG, Foster J. Effects of very low birth weights on fetal and neonatal mortality rates in Alabama. *Public Health Rep*. 1989;104:488-492.

Goldenberg RL, Rouse DJ. Prevention of premature birth. *N Engl J Med*. 1998;339:313-320.

Hack, M., N. Klein, H.G. Taylor. Long-term developmental outcomes of low birth weight infants. *Future Child*. 1995;5:176-196.

Hillemeier MM, Weisman CS, Chase GA, Dyer AM. Individual and community predictors of preterm birth and low birthweight along the rural-urban continuum in central Pennsylvania. *J Rural Health*. 2007;23:42-48.

Hughes D, Simpson, L. The role of social change in preventing low birth weight. *Future Child*. 1995;5:87-103.

Institute of Medicine, Committee to Study the Prevention of Low Birth Weight. *Preventing Low Birth Weight*. National Academy Press, Washington, D.C. 1985. http://www.nap.edu/openbook.php?record_id=512

Institute of Medicine (US) Committee on Understanding Premature Birth and Assuring Healthy Outcomes; Behrman RE, Butler AS, editors. *Preterm Birth: Causes, Consequences, and Prevention*. Washington (DC): National Academies Press (US); 2007. <http://www.ncbi.nlm.nih.gov/books/NBK11362/>

Kallan JE. Effects of interpregnancy intervals on preterm birth, intrauterine growth retardation, and fetal loss. *Social Biol*. 1992;39:231-245.

Kieltyka L, Wise R. *Preterm and Repeat Preterm Births: Identification of At-Risk Women Guide Program Development 2008*. Louisiana Maternal Child Health Program OoPH. <http://www.docstoc.com/docs/7283296/Preterm-and-Repeat-Preterm-Births-Identification-of-At-Risk-Women>

Kiely JL, Brett KM, Yu S, Rowley DL. Low Birth Weight and Intrauterine Growth Retardation. In Wilcox LS, Marks JS, (Eds.) *From Data to Action*. Atlanta: Centers for Disease Control, 1994. Pg. 185-187. <http://www.cdc.gov/reproductivehealth/ProductsPubs/DatatoAction/pdf/birout3.pdf>

Kirby RS, Wingate MS. Late preterm birth and neonatal outcome: is 37 weeks' gestation a threshold level or a road marker on the highway of perinatal risk? *Birth*. 2010;37:169-171.

Kogan MD, Alexander GR, Kotelchuck M, MacDorman MF, Buekens P, Papiernik E. A comparison of risk factors for twin preterm birth in the United States between 1981-92 and 1996-97. *Matern Child Health J*. 2002;6:29-35.

Kramer MS. Intrauterine growth and gestational duration determinants. *Pediatrics*. 1987;80:502-511.

Kramer MS. Determinants of low birth weight: Methodological assessment and meta-analysis. *Bulletin of the World Health Organization*. 1987;65:663-737. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2491072/pdf/bullwho00076-0086.pdf>

Lorenz JM. The outcome of extreme prematurity. *Semin Perinatol*. 2001;25:348-359.

Martin JA, Kirmeyer S, Osterman M, Shepherd RA. Born a bit too early: recent trends in late preterm births. *NCHS Data Brief*. 2009; 24:1-8. <http://www.cdc.gov/nchs/data/databriefs/db24.htm>

McCormick MC. Significance of low birthweight for infant mortality and morbidity. *Birth Defects Orig Artic Ser*. 1988;24:3-10.

Mittendorf R, Herschel M, Williams MA, Merrell K, Moawad AH, Lee KS. Reduction of neonatal mortality in the USA by prevention of low birthweight. *Lancet*. 1993;341:1415.

Naeye RL. Causes of perinatal mortality excess in prolonged gestations. *Am J Epidemiol*. 1978;108:429-433.

O'Shea TM, Allred EN, Dammann O, Hirtz D, Kuban KC, Paneth N, Leviton A; ELGAN study Investigators. The ELGAN study of the brain and related disorders in extremely low gestational age newborns. *Early Hum Dev*. 2009;85:719-725

Paneth NS. The problem of low birth weight. *Future Child*. 1995;5:19-34.

Papiernik É, Alexander GR. Discrepancy between gestational age and fetal maturity among ethnic groups. Chapter in: Chervenak F (Editor). *Fetus as a Patient*, 1999, Parthenon Publish, Carnforth, UK.

Poirier TA, Truog WE, Wung J, Hansen TN, Hodson WA, James LS, Kitterman JA, Nielsen HC, Bryan MH, Cotton RB, Epstein MF, Fitzhardinge PM, Hansen CB, Avery ME, Tooley WH, Keller JB, Hurd SS. Is chronic lung disease in low birth weight infants preventable? A survey of eight centers. *Pediatrics*. 1987;79:26-30.

References *continued*

Gestational Age and Birth Weight *continued*

- Prince CB, Song L, Quadri N, Kromer Baker K. The epidemiology of low birth weight and preterm delivery, in Hawai'i, 2000-2001. *California Journal of Health Promotion*. 2003;1(Special):83-90.
- Ray B, Platt MP. Mortality of twin and singleton livebirths under 30 weeks' gestation: a population-based study. *Arch Dis Child Fetal Neonatal Ed*. 2009;94:F140-F143.
- Ray W, Mitchel E, Piper J. Effect of Medicaid expansions on preterm birth. *Am J Prevent Med*. 1997;13:292-297.
- Reger R, Dolfin T, Ben-Nun Y, Herzog L. Survival rate and 2-year outcome in very low birth weight infants. *Isr J Med Sci*. 1995;31:309-313.
- Robertson PA, Sniderman SH, Laros RK Jr, Cowan R, Heilbron D, Goldenberg RL, Iams JD, Creasy RK. Neonatal morbidity according to gestational age and birth weight from five tertiary care centers in the United States, 1983 through 1986. *Am J Obstet Gynecol*. 1992;166(6 Pt 1):1629-1641.
- Rogowski J. Cost effectiveness of care for very low birth weight infants. *J Pediatr*. 1998;102:35-43.
- Romero R, Espinoza J, Kusanovic JP, Gotsch F, Hassan S, Erez O, Chaiworapongsa T, Mazer M. The preterm parturition syndrome. *BJOG*. 2006;113(Suppl 3):17-42.
- Sacks DA, W Chen. Estimating fetal weight in the management of macrosomia. *Obstet Gynecol Surv*. 2000;55:229-239.
- Saigal S, Doyle LW. An overview of mortality and sequelae of preterm birth from infancy to adulthood. *Lancet*. 2008;371:261-269.
- Shapiro-Mendoza CK, Lackritz EM. Epidemiology of late and moderate preterm birth. *Semin Fetal Neonatal Med*. 2012;17:120-125.
- Shapiro-Mendoza CK, Tomashek KM, Kotelchuck M, Barfield W, Nannini A, Weiss J, Declercq E. Effect of late-preterm birth and maternal medical conditions on newborn morbidity risk. *Pediatrics*. 2008;121:e223-e232.
- Silverman WA. *Dunham's Premature Infants*. Hoeber Medical: New York, 1964.
- Stoll BJ, Hansen NI, Bell EF, Shankaran S, Laptook AR, Walsh MC, et al. Neonatal outcomes of extremely preterm infants from the NICHD Neonatal Research Network. *Pediatrics*. 2010;126:443-456.
- Teune MJ, Bakhuizen S, Gyamfi Bannerman C, Opmeer BC, van Kaam AH, van Wassenaer AG, Morris JM, Mol BW. A systematic review of severe morbidity in infants born late preterm. *Am J Obstet Gynecol*. 2011;205:374.e1-e9.
- Thorp JM, Hartmann KE, Berkman ND, Carey TS, Lohr KN, Gavin NI, Hasselblad V. Antibiotic therapy for the treatment of preterm labor: A review of the evidence. *Am J Obstet Gynecol*. 2002;186:587-592.
- Villar J, Belizan JM. The timing factor in the pathophysiology of the intrauterine growth retardation syndrome. *Obstet Gynecol Surv*. 1982;37:499-506.
- Zhang X, Kramer MS. Variations in mortality and morbidity by gestational age among infants born at term. *J Pediatr*. 2009;154:358-362.

Maternal Characteristics and Behaviors

- Adams MM, Delaney KM, Stupp PW, McCarthy BJ, Rawlings JS. The relationship of interpregnancy interval to infant birthweight and length of gestation among low risk women, Georgia. *Paediatr Perinatal Epidemiol*. 1997; 11(Suppl 1):48-62.
- Ahmed F. Unmarried mothers as a high-risk group for adverse pregnancy outcomes. *J Comm Health*. 1990;15:35-44.
- American College of Obstetricians and Gynecologists Committee on Practice Bulletins-Obstetrics; Society for Maternal-Fetal Medicine; ACOG Joint Editorial Committee. ACOG Practice Bulletin #56: Multiple gestation: complicated twin, triplet, and high-order multifetal pregnancy. *Obstet Gynecol*. 2004;104:869-883.
- Arntzen A, Moum T, Magnus P, Bakketeig LS. Marital status as a risk factor for fetal and infant mortality. *J Soc Med*. 1996;24:36-42.
- Babinszki A, Kerenyi T, Torok O, Grazi V, Lapinski RH, Berkowitz RL. Perinatal outcome in grand and great grand multiparity: Effects of parity on obstetric risk factors. *Am J Obstet Gynecol*. 1999;181:669-674.
- Babor TF, McRee BG, Kassebaum PA, Grimaldi PL, Ahmed K, Bray J. Screening, brief intervention, and referral to treatment (SBIRT): Toward a public health approach to the management of substance abuse. *Subst Abus*. 2007;28:7-30.
- Baruffi G, Fuddy LJ, Onaka AT, Alexander GR, Mor JM. Temporal trends in maternal characteristics and pregnancy outcomes: Their relevance to the provision of health services in Hawaii, 1979-1994. *Hawaii Med J*. 1997;56:149-153.
- Berard J, Dufour P, Vinatier D, Subtil D, Vanderstichele S, Monnier JC, Puech F. Fetal macrosomia: Risk factors and outcome, A study of the outcome concerning 100 cases >4500g. *Eur J Obstet Gynecol Reprod Biol*. 1998;77:51-59.
- Berg CJ. From identification and review to action--maternal mortality review in the United States. *Semin Perinatol*. 2012;36:7-13.

Centers for Disease Control and Prevention. Contribution of assisted reproductive technology and ovulation inducing drugs to triplet and higher order multiple births USA, 1980-1997. *MMWR*. 2000;49:535-538.

<http://www.cdc.gov/mmwr/preview/mmwrhtml/mm4924a4.htm>

Chatterjee S, Kotelchuck M, Sambamoorthi U. Prevalence of chronic illness in pregnancy, access to care, and health care costs: implications for interconception care. *Womens Health Issues*. 2008;18(6 Suppl):S107-S116.

Fraser AM, Brockert JE, Ward RH. Association of young maternal age with adverse reproductive outcomes. *N Engl J Med*. 1995;332:1113-1117.

Fuentes-Afflick E, Hessel NA. Interpregnancy intervals and the risk of premature infants. *Obstet Gynaecol*. 2000;95:383-390.

Gregory, KD, Henry OA, Ramicone E, Chan LS, and Platt LD. Maternal and infant complications in high and normal weight infants by method of delivery. *Am J Obstet Gynecol*. 1998;92:507-513.

Hellerstedt WL, Pirie PL, Alexander GR. Adolescent parity and infant mortality, Minnesota, 1980-1988. *Am J Public Health*. 1995;85:1139-1142.

Holt VL, Danoff NL, Miller BA, Swanson MW. The association of change in maternal marital status between births and adverse pregnancy outcomes in the 2nd birth. *Pediatr Perinat Epidemiol*. 1997;11(suppl 1):31-40.

Kothari CL, Wendt A, Liggins O, Overton J, Sweezy Ldel C. Assessing maternal risk for fetal-infant mortality: a population-based study to prioritize risk reduction in a healthy start community. *Matern Child Health J*. 2011;15:68-76.

Lazar J, Kotelchuck M, Nannini A, Barger M. Identifying multiple gestation groups using state-level birth and fetal death certificate data. *Matern Child Health J*. 2006;10:225-228.

Leyland AH, Boddy FA. Maternal age and outcomes of pregnancy. *N Engl J Med*. 1990;323:413-414.

MacDorman M, Menacker F, Declercq E. Trends and characteristics of home and other out-of-hospital births in the United States, 1990–2006. *Natl Vital Stat Rep*. 2010;58:1-14, 16. http://www.cdc.gov/nchs/data/nvsr/nvsr58/nvsr58_11.PDF

McMahon MJ. Vaginal birth after cesarean. *Clin Obstet Gynecol*. 1998;41:369-381.

Menacker F, Curtin SC. Trends in cesarean birth and vaginal birth after previous cesarean, 1991-99. *Natl Vital Stat Rep*. 2001;49. http://www.cdc.gov/nchs/data/nvsr/nvsr49/nvsr49_13.pdf

Miller JE. Birth intervals and perinatal health: An investigation of three hypotheses. *Fam Plan Perspectives*. 1991;23:62-70.

Olson ME, Diekema D, Elliott BA, Renier CM. Impact of income and income inequality on infant health outcomes in the United States. *Pediatrics*. 2010;126:1165-1173.

Stewart FH. Contraception in the United States: An overview and priorities for improvement. *Obstet Gynecol Surv*. 1996;51:4S-7S.

Tuomaa TE. The adverse effects of tobacco smoking on reproduction and health: a review from the literature. *Nutr Health*. 1995;10:105-120.

Ventura SJ. Births to Unmarried Mothers: U.S., 1980-92. *Vital Health Stat* 21. 1995;53:1-55. http://www.cdc.gov/nchs/data/series/sr_21/sr21_053.pdf

Vohr BR, Tyson JE, Wright LL, Perritt RL, Li L, Poole WK; NICHD Neonatal Research Network. Maternal age, multiple birth, and extremely low birth weight infants. *J Pediatr*. 2009;154:498-503.

Disparities

Alexander GR, Kogan MD. Ethnic differences in birth outcomes: The search for answers continues. *Birth*. 1998;23:210-213.

Alexander, GR, Kogan M, Bader D, Carlo W, Allen MC, Mor J. U.S. birth weight-gestational age-specific neonatal mortality: 1995-7 rates for Whites, Hispanics and African-Americans. *Pediatrics*. 2003;111:e61-e66.

Alexander GR, Kogan MD, Himes JH, Mor JM, Goldenberg R. Racial differences in birthweight for gestational age and infant mortality in extremely-low-risk US populations. *Paediatr Perinat Epidemiol*. 1999;13:205-217.

Alexander, GR, Kogan MD, Nabukera S. Racial differences in prenatal care use in the United States: Are the disparities decreasing? *Am J Public Health*. 2002;92:1970-1975.

Alexander GR, Tompkins ME, Allen MC, Hulseley TC. Trends and racial differences in birth weight and related survival. *Matern and Child Health J*. 1999;3:71-79.

Alexander GR, Tompkins ME, Altekruze JM, Hornung CA. Racial differences in the relation of birth weight and gestational age to neonatal mortality. *Public Health Rep*. 1985;100:539-547.

Alexander GR, Wingate MS, Bader D, Kogan MD: The increasing racial disparity in infant mortality rates: Composition and contributors to recent US trends. *Am J Obstet Gynecol*. 2008;198:51.e1-51.e9.

Alexander GR, Wingate MS, Boulet S. Pregnancy Outcomes of American Indians: Contrasts Among Regions and with Other Ethnic Groups. *Matern Child Health J*. 2008;12:S5–S11.

Alio AP, Kornosky JL, Mbah AK, Marty PJ, Salihu HM. The impact of paternal involvement on feto-infant morbidity among Whites, Blacks and Hispanics. *Matern Child Health J*. 2010;14:735-741.

References *continued*

Disparities *continued*

- Alio AP, Richman AR, Clayton HB, Jeffers DF, Wathington DJ, Salihi HM. An ecological approach to understanding black-white disparities in perinatal mortality. *Matern Child Health J.* 2010;14:557-566.
- Allen MC, Alexander GR, Tompkins ME, Hulsey TC. Racial differences in temporal changes in newborn viability and survival by gestational age. *Paediatr Perinat Epidemiol.* 2000;14:152-158.
- Baruffi G, Alexander GR, Novotny R. Causes of infant death in a multi-ethnic population. *Asia-Pacific J Publ Hlth.* 1990;4:145-150.
- Baruffi G, Kieffer EC, Alexander GR, Mor JM. Changing pregnancy outcomes of Samoan women in Hawaii. *Paediatr Perinat Epidemiol.* 1999;13:254-268.
- Bautista D, Alfonso JL, Corella D, Saiz C. Influence of Social Factors on Avoidable Mortality: A Hospital-Based Case-Control Study. *Public Health Rep.* 2005;120:55-62.
- Besculides M, Laraque F. Racial and ethnic disparities in perinatal mortality: applying the perinatal periods of risk model to identify areas for intervention. *J Natl Med Assoc.* 2005;97:1128-1132.
- Binkin NJ, Rust KR, Williams RL. Racial Differences in Neonatal Mortality. What causes of death explain the gap? *Am J Diseases Child.* 1988;142:434-440.
- Brach C, Fraser I. Can cultural competency reduce racial and ethnic health disparities? A review and conceptual model. *Med Care Res.* 2000;57(Suppl. 1):181-217.
- Braveman P, Egerter S, Edmonston F, Verdon M. Racial Differences in the Likelihood of Cesarean Delivery, California. *Am J Public Health.* 1995;85:625-630.
- Brennan Ramirez LK, Baker EA, Metzler M. Promoting Health Equity: A Resource to Help Communities Address Social Determinants of Health. Atlanta: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. 2008. <http://www.cdc.gov/nccdphp/dach/chhep/pdf/sdohworkbook.pdf>
- Broussard DL, Broussard DL, Goodman DA. The Black and White of infant back sleeping and infant bed sharing in Florida, 2004-2005. *Matern Child Health J.* 2012;16:713-724.
- Burka G, Mather FJ, Acuna JM, Tran T. Race-specific trends in infant mortality: contributions of birth-weight distribution and birth-weight-specific mortality, Louisiana 1991-2002. *J La State Med Soc.* 2009;161:199-205.
- Butler RJ, Wilson BL, Johnson WG. A modified measure of health care disparities applied to birth weight disparities and subsequent mortality. *Health Econ.* 2012;21:113-126.
- Carmichael SL, Iyasu S. Changes in the Black-White Infant Mortality Gap from 1983-1991 in the United States. *Am J Prevent Med.* 1998;15:220-227.
- Centers for Disease Control and Prevention. Infant mortality and low birth weight among black and white infants—United States, 1980-2000. *MMWR.* 2002;51:589-592. <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5127a1.htm>
- Centers for Disease Control and Prevention (CDC). Postneonatal mortality among Alaska Native infants - Alaska, 1989-2009. *MMWR.* 2012;61:1-5. <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm6101a1.htm>
- Chen HY, Chauhan SP, Rankins NC, Ananth CV, Siddiqui DS, Vintzileos AM. Racial and Ethnic Disparities in Infant Mortality in the United States: The Role of Gestational Age. *Am J Perinatol.* 2012; Sep 21. Epub ahead of print
- Collins JW. Disparate Black & White Neonatal Mortality Rates among Infants of Normal Birthweight in Chicago: A population Study. *J Pediatr.* 1992; 120:954-960.
- Crowell DH, Rudoy R, Nigg CR, Sharma S, Baruffi G. Perspective on racial/ethnic birth weight. *Hawaii Med J.* 2010;69:216-220.
- Crowell DH, Sharma SD, Setomd D, Baruffi G, Dunn-Rankin P, Dong J. Samoan parental ethnicity and infant birth-weight in Hawai'i. *Hawaii Med J.* 2007;66:4,6-8.
- Culhane JF, Goldenberg RL. Racial disparities in preterm birth. *Semin Perinatol.* 2011;35:234-239.
- Demissie K, Rhoads GG, Ananth CV, Alexander GR, Kramer MS, Kogan MD, Joseph KS. Trends in preterm birth and neonatal mortality among blacks and whites in the United States from 1989 to 1996. *Am J Epidemiol.* 2001; 154:307-315.
- Emuren L, Chauhan S, Vroman R, Beydoun H. Epidemiology of infant death among black and white non-Hispanic populations in Hampton Roads, Virginia. *South Med J.* 2012;105:259-265.
- Frisbie WP, Hummer RA, Powers DA, Song SE, Pullum SG. Race/Ethnicity/Nativity Differentials and Changes in Cause-Specific Infant Deaths in the Context of Declining Infant Mortality in the US: 1989-2001. *Popul Res Policy Rev.* 2010;29:395-422.
- Goldenberg RL, Humphrey JL, Hale CB, Boyd BW, Wayne JB. Neonatal deaths in Alabama, 1970-1980: An Analysis of Birth Weight and Race Specific Neonatal Mortality Rates. *Am J Obstet Gynecol.* 1983;145:545-552.
- Grossman DC, Baldwin LM, Casey S, Nixon B, Hollow W, Hart LG. Disparities in infant health among American Indians and Alaska natives in US metropolitan areas. *Pediatrics.* 2002;109:627-633.
- Guendelman S and English PB. 1995. Effect of United States residence on birth outcomes among Mexican immigrants: An exploratory study. *Am J Epidemiol;* 9: S30-S38.
- Hamvas A, Wise PH, Yang RK, Wampler NS, Noguchi A, Maurer MM, Walentik CA, Schramm WF, Cole FS. The influence of the wider use of surfactant therapy on neonatal mortality among Blacks and Whites. *N Engl J Med.* 1996;334:1635-1640.

Harper MA, Espeland MA, Dugan E, Meyer R, Lane K, Williams S. Racial disparity in pregnancy-related mortality following a live birth outcome. *Ann Epidemiol.* 2004;14:274-279.

Hauck FR, Tanabe KO, Moon RY. Racial and ethnic disparities in infant mortality. *Semin Perinatol.* 2011;35:209-220.

Hessol NA, Fuentes-Afflick E. Ethnic differences in neonatal and postneonatal mortality. *Pediatrics.* 2005;115:e44-e51.

HHS. A Nation Free of Disparities in Health and Health Care. 2011. http://minorityhealth.hhs.gov/npa/files/Plans/HHS/HHS_Plan_complete.pdf

Hoff GL, Cai J, Okah FA, Dew PC. Excess Hispanic fetal-infant mortality in a midwestern community. *Public Health Rep.* 2009;124:711-717.

Kogan MD, Alexander GR, Mor JM, Kieffer EC. Ethnic-specific predictors of prenatal care utilization in Hawaii. *Paediatr Perinat Epidemiol.* 1998;12:152-162.

Kogan MD, Kotelchuck M, Alexander GR, Johnson W. Racial disparities in reported prenatal care advice from health care providers. *Am J Publ Health.* 1994;84:82-88.

Kramer MR, Hogue CR. Place matters: variation in the black/white very preterm birth rate across U.S. metropolitan areas, 2002-2004. *Public Health Rep.* 2008;123:576-585.

Langkamp DL, Foye HR, Roghmann KJ. Does limited access to NICU services account for higher neonatal mortality rates among blacks? *Am J Perinatol.* 1990;7:227-231.

Lorch SA, Kroelinger CD, Ahlberg C, Barfield WD. Factors That Mediate Racial/Ethnic Disparities in US Fetal Death Rates. *Am J Public Health.* 2012;102:1902-1910.

Luke B, Brown MB. The changing risk of infant mortality by gestation, plurality, and race: 1989–1991 versus 1999–2001. *Pediatrics.* 2006;118:2488–2497.

MacDorman MF. Race and ethnic disparities in fetal mortality, preterm birth, and infant mortality in the United States: an overview. *Semin Perinatol.* 2011;35:200-208.

Mathews TJ, Keppel KG. Racial/ethnic disparities in infant mortality - United States, 1995-2002 (Reprinted from *MMWR*, vol 54, pg 553-556, 2005). *Jama-J Am Med Assoc.* 2005;294:298-299.

Messer LC, Kaufman JS, Mendola P, Laraia BA. Black-White preterm birth disparity: A marker of inequality. *Ann Epidemiol.* 2008;18:851-858.

Nabukera SK, Wingate MS, Owen J, Salihu HM, Swaminathan S, Alexander GR, Kirby RS. Racial disparities in perinatal outcomes and pregnancy spacing among women delaying initiation of childbearing. *Matern Child Health J.* 2009;13:81-89.

The National Association of County and City Health Officials. *Roots of Health Inequity.* 2009. <http://rootsofhealthinequity.org/about-project.php>

O'Campo P, Schempf A. Racial inequalities in preterm delivery: Issues in the measurement of psychosocial constructs. *AJOG.* 2005;192:S56-S63.

Phares TM, Morrow B, Lansky A, Barfield WD, Prince CB, Marchi KS, Braveman PA, Williams LM, Kinniburgh B. Surveillance for disparities in maternal health-related behaviors--selected states, Pregnancy Risk Assessment Monitoring System (PRAMS), 2000-2001. *MMWR Surveill Summ.* 2004;53:1-13. <http://www.cdc.gov/mmwr/preview/mmwrhtml/ss5304a1.htm>

Poeran J, Denktas S, Birnie E, Bonsel GJ, Steegers EA. Urban perinatal health inequalities. *J Matern Fetal Neonatal Med.* 2011;24:643-646.

Ranganathan D, Wall S, Khoshnood B, Singh JK, Lee KS. Racial differences in respiratory related neonatal mortality among low birth weight infants. *J Pediatr.* 2000;136:427-428.

Sappenfield WM, Buehler JW, Binkin NJ, Hogue CJ, Strauss LT, Smith JC. Differences in neonatal and postneonatal mortality by race, birth weight, and gestational age. *Public Health Rep.* 1987;102:182-192.

Schempf AH, Branum AM, Lukacs SL, Schoenclorf KC. The contribution of preterm birth to the Black-White infant mortality gap, 1990 and 2000. *Am J Publ Health.* 2007;97:1255-1260.

Schempf A, Kroelinger C, Guyer B. Rising infant mortality in Delaware: an examination of racial differences in secular trends. *Matern Child Health J.* 2007;11:475-483.

Sharma PP, Salihu HM, Oyelese Y, Ananth CV, Kirby RS. Is race a determinant of stillbirth recurrence? *Am J Obstet Gynecol.* 2006;107:391-397.

Singh GK, Kogan MD. Persistent socioeconomic disparities in infant, neonatal, and postneonatal mortality rates in the United States, 1969-2001. *Pediatrics.* 2007;119:e928-e939.

Singh GK, Siahpush M. 2002. Ethnic-Immigrant Differentials in Health Behaviors, Morbidity, and Cause-Specific Mortality in the United States: An Analysis of Two National Data Bases. *Human Biology;* 74: 83–109.

Sung JF, Taylor BD, Blumenthal DS, Sikes K, Davis-Floyd V, McGrady G, Lofton TC, Wade TE. Maternal factors, birthweight, and racial differences in infant mortality: A Georgia population based study. *JNMA.* 1994;86:437-443.

Taylor D. State-Specific Changes in Singleton Preterm births Among Black & White Women: USA, 1990 & 1997. *MMWR.* 2000;49:837-840. <http://www.cdc.gov/MMWR/preview/mmwrhtml/mm4937a2.htm>

Tuan WJ, Hatfield P, Bhattacharya A, Sarto GE, Kling PJ. Possible factors illuminating increased disparities in neonatal mortality in Wisconsin from 1991-2005. *WMJ.* 2007;106:130-136.

Wingate MS, Barfield WD. Racial and ethnic variations in temporal changes in fetal deaths and first day infant deaths. *Matern Child Health J.* 2011;15:1135-1142.

References *continued*

Disparities *continued*

Wingate MS, Barfield WD, Petrini J, Smith R. Disparities in fetal death and first day death: the influence of risk factors in 2 time periods. *Am J Public Health*. 2012;102:e68-e73.

Yang TC, McManus B. Infant Mortality and Social Environment in Georgia: An application of hotspot detection and prioritization. *Environ Ecol Stat*. 2010;17:455-471.

Systems of Care

Alexander GR, Kotelchuck M. Assessing the role and effectiveness of prenatal care: History, challenges, and directions for future research. *Public Health Rep*. 2001;116:306-316.

Ballard PL. Scientific rationale for the use of antenatal glucocorticoids to promote fetal development. *Pediatr Rev*. 2000;1:E83-E90.

Bartels DB, Wypij D, Wenzlaff P, Dammann O, Poets CF. Hospital volume and neonatal mortality among very low birth weight infants. *Pediatrics*. 2006;117:2206-2214.

Binder S, Hill K, Meinzen-Derr J, Greenberg JM, Narendran V. Increasing VLBW deliveries at subspecialty perinatal centers via perinatal outreach. *Pediatrics*. 2011;127:487-493.

Blackmon LR, Barfield WD, Stark AR. Hospital neonatal services in the United States: variation in definitions, criteria, and regulatory status, 2008. *J Perinatol*. 2009;29:788-94.

Braveman P, Bennet T, Lewis C, Egerter S, Showstack J. Access to prenatal care following major Medicaid eligibility expansions. *JAMA*. 1993;269:1285-1289.

Centers for Disease Control and Prevention (CDC). Neonatal intensive-care unit admission of infants with very low birth weight --- 19 States, 2006. *MMWR*. 2010;59:1444-1447. <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5944a4.htm>

Cifuentes, J., Bronstein, J., Phibbs, C. S., Phibbs, R. H., Schmitt, S. K., & Carlo, W. A. Mortality in low birth weight infants according to level of neonatal care at hospital of birth. *Pediatrics*. 2002;109:745-751.

Committee on Fetus and Newborn. Levels of neonatal care. *Pediatrics*. 2012;130:587-597. <http://pediatrics.aappublications.org/content/130/3/587.long>

Committee on Perinatal Health. Toward Improving the Outcome of Pregnancy III: Enhancing Perinatal Health Through Quality, Safety and Performance Initiatives. March of Dimes. 2010. http://www.marchofdimes.com/TIOPIII_finalmanuscript.pdf

Curley AE, Halliday HL. The present status of exogenous surfactant for the newborn. *Early Human Develop* 2001;61:67-83.

De Jesus LC, Pappas A, Shankaran S, Kendrick D, Das A, Higgins RD, Bell EF, Stoll BJ, Laptook AR, Walsh MC; Eunice Kennedy Shriver National Institute of Child Health and Human

Development Neonatal Research Network. Risk factors for post-neonatal intensive care unit discharge mortality among extremely low birth weight infants. *J Pediatr*. 2012;161:70-74.

Doyle LW. Evaluation of neonatal intensive care for extremely-low-birth-weight infants. *Semin Fetal Neonatal Med*. 2006;11:139-145.

Eichenwald EC, Stark AR. High-frequency ventilation: Current status. *Pediatr Rev*. 1999;20:e127-e133.

Guyer B. Medicaid and prenatal care; Necessary but not sufficient. *JAMA*. 1990;264:2264-2265.

Horbar JD, Lucey JF. Evaluation of neonatal intensive care technologies. *Future Child*. 1995;5:139-161.

Howell EM, Vert P. Neonatal intensive care and birth weight-specific perinatal mortality in Michigan and Lorraine. *Pediatrics*. 1993;91:464-470.

Hulsey TC, Heins HC, Marshall TA, Martin ML, et al. Regionalized perinatal care in South Carolina. *J SC Med Assn*. 1989;85:357-384.

Hulsey TC, McComb TF, Ebeling M, Geddes K, Kuenneth CA, Johnson D, Alexander GR, Pittard WB. A new method to examine very low birth weight fetal and hebdomadal mortality in a regionalized system of perinatal care. *Matern Child Health J*. 1998;2:211-221.

Institute of Medicine. Child and adolescent health and healthcare quality: measuring what matters. Washington, DC: The National Academies Press; 2011. <http://www.iom.edu/Reports/2011/Child-and-Adolescent-Health-and-Health-Care-Quality.aspx>

Lasswell SM, Barfield WD, Rochat RW, Blackmon L. Perinatal regionalization for very low-birth-weight and very preterm infants: a meta-analysis. *JAMA*. 2010 Sep 1;304(9):992-1000. <http://jama.jamanetwork.com/article.aspx?articleid=186516>

Nowakowski L, Barfield WD, Kroelinger CD, Lauver CB, Lawler MH, White VA, Ramos LR. Assessment of state measures of risk-appropriate care for very low birth weight infants and recommendations for enhancing regionalized state systems. *Matern Child Health J*. 2010;16:217-227.

Paneth NS. Technology at birth. *Am J Public Health*. 1990;80:791-792.

Piper JM, Mitchel EF, Ray WA. Presumptive eligibility for pregnant Medicaid enrollees: Its effects on prenatal care and perinatal outcome. *Am J Publ Health*. 1994;84:1626-1630.

Piper JM, Ray WA, Griffin MR. Effects of Medicaid eligibility expansion on prenatal care and pregnancy outcome in Tennessee. *JAMA*. 1990;264:2219-2223.

Schwartz RM, Luby AM, Scanlon JW, Kellog RJ. Effects of surfactant on morbidity, mortality, and resource use in newborn infants weighing 500 to 1500 g. *N Engl J Med*. 1994;330:1476-1480.

Staebler S. Regionalized systems of perinatal care: health policy considerations. *Adv Neonatal Care*. 2011;11:37-42.

Committee on Fetus And Newborn. Levels of neonatal care. *Pediatrics*. 2012 Sep;130(3):587-97. <http://pediatrics.aappublications.org/content/130/3/587.long>
Surles K, Buescher P, Meyer R. Infant mortality & low birthweight in North Carolina: The last 10 years. *N C Med J*. 1999;60:163-168.

Syddall HE, Sayer AA, Simmonds SJ, Osmond C, Cox V, Dennison EM, Barker DJ, Cooper C. Birth weight, infant weight gain, and cause-specific mortality: the Hertfordshire Cohort Study. *Am J Epidemiol*. 2005;161:1074-1080.

Yeast JD, Poskins M, Stockbauer JW, Shaffer S. Changing patterns in regionalization of perinatal care and the impact on neonatal mortality. *Am J Obstet Gynecol*. 1998;178:131-135.

Fetal and Infant Mortality Review (FIMR)

Hutchins E, Grason H, Handler A. FIMR and other mortality reviews as public health tools for strengthening maternal and child health systems in communities: where do we need to go next? *Matern Child Health J*. 2004; 8:259-268.

Johnson TS, Malnory ME, Nowak EW, Kelber S. Using Fetal and Infant Mortality Reviews to improve birth outcomes in an urban community. *J Obstet Gynecol Neonatal Nurs*. 2011;40:86-97.

Klerman LV, Cleckley DC, Sinsky RJ, Sams SH. Infant mortality review as a vehicle for quality improvement in a local health department. *Jt Comm J Qual Improv*. 2000;26:147-159.

Koontz AM, Buckley KA, Ruderman M. The evolution of fetal and infant mortality review as a public health strategy. *Matern Child Health J*. 2004;8:195-203.

National Fetal-Infant Mortality Review Program.
<http://www.nfimr.org/>

Strobino DM, Baldwin KM, Grason H, Misra DP, McDonnell KA, Liao M, Allston AA. The relation of FIMR programs and other perinatal systems initiatives with maternal and child health activities in the community. *Matern Child Health J*. 2004;8:239-249.

Perinatal Periods of Risk (PPOR)

Burka G, Mather FJ, Acuna JM, Tran T. Analysis of fetal and infant mortality rates - using Perinatal Period of Risk approach - Louisiana 2000-2002. *Louisiana Morbidity Report*. 2006;17:5.

Burns PG. Reducing infant mortality rates using the perinatal periods of risk model. *Public Health Nurs*. 2005;22:2-7.

Cai JW, Hoff GL, Archer R, Jones LD, Livingston PS, Guillory VJ. Perinatal Periods of Risk analysis of infant mortality in Jackson County, Missouri. *J Public Health Man*. 2007;13:270-277.

Cai JW, Hoff GL, Dew PC, Guillory VJ, Manning J. Perinatal

Periods of Risk: Analysis of fetal-infant mortality rates in Kansas City, Missouri. *Matern Child Hlth J*. 2005;9:199-205.

Chao SM, Donatoni G, Bemis C, Donovan K, Harding C, Davenport D, Gilbert C, Kasehagen L, Peck MG. Integrated approaches to improve birth outcomes: Perinatal Periods of Risk, infant mortality review, and the Los Angeles Mommy and Baby Project. *Matern Child Health J*. 2010;14:827-837.

CityMatCH. What is PPOR.
http://www.citymatch.org/ppor_index.php

Guillory VJ, Cai JW, Hoff GL. Secular trends in excess fetal and infant mortality using Perinatal Periods of Risk analysis. *J Natl Med Assoc*. 2008;100:1450-1456.

Mittal M. Statistical Brief: Perinatal Periods of Risk (PPOR): A useful tool for analyzing fetal and infant mortality. Raleigh, NC: North Carolina Dept of Health and Human Services. 2005. <http://www.schs.state.nc.us/schs/pdf/SB28.pdf>

Peck MG, Sappenfield WM, Skala J. Perinatal periods of risk: a community approach for using data to improve women and infants' health. *Matern Child Health J*. 2010;14:864-874.

Sappenfield WM, Peck MG, Gilbert CS, Haynatzka VR, Bryant T, 3rd. Perinatal Periods of Risk: analytic preparation and phase 1 analytic methods for investigating fetoinfant mortality. *Matern Child Health J*. 2010;14:838-850.

Sappenfield WM, Peck MG, Gilbert CS, Haynatzka VR, Bryant T, 3rd. Perinatal Periods of Risk: phase 2 analytic methods for further investigating fetoinfant mortality. *Matern Child Health J*. 2010;14:851-863.

